

www.dtaigroup.com The Choice of Professionals



Tile Cutters, Diamond Cutting and Grinding Accessories

Catalogue Edition 7



Head Office - VICTORIA

ABN 26 007 291 054 P 1800 505 045

E sales@dta-aus.com.au

P.O. Box 318, Patterson Lakes 3197

6 Ashley Park Drive, Chelsea Heights 3196



NEW SOUTH WALES

P 1800 505 045

E sales@dta-aus.com.au

Unit 1/56-58 Jedda Rd, Prestons 2170

QUEENSLAND

P 1800 505 045

E dtaqld@dta-aus.com.au
7 Hinkler Court, Brendale 4500

NEW ZEALAND

P 09 525 0321

E sales@dtanz.co.nz 2/27 Cain Rd Penrose, Auckland, 1061

WESTERN AUSTRALIA

P 1800 505 045

E dtawa@dta_aus.com.au

Unit 2/12 Horus Bend, Bibra Lake, 6163

SOUTH AUSTRALIA

P 1800 505 045

E sales@dta-aus.com.au


USA

P +1 925 371 7101

E sales@dtausagroup.com

6764 Preston Ave, Suite B Livermore CA USA 94551





TILE CUTTERS		QU
SIGMA Tile Cutters	5	· ·
SIGMA Spare Parts	14	
ISHII Pro Series Tile Cutters	16	
Handyman Tile Cutters	18	
Professional Tile Cutter	19	
BOSS Manual Tile Cutters	19	
Renovator Series Electric Tile Cutter	20	
BOSS Premium Electric Wet Saw	21	
Centaur Series Electric Tile Cutters	22	
Versa Tile Cutting Table	24	
Hole Cutting Bits and Accessories	25	

CYCLONE SERIES	
Angle Grinder	29
Vacuum Cleaner	29
Dust Extraction	29

PRECISION DIAMOND BLADES	31
BOSS Continuous Blades	34
BOSS Segmented Blades	35
BOSS Turbo Blades	36
BOSS Super Turbo Blades	37
BOSS Super Thin Turbo Blades	37
White Lightning Diamond Blades	38
Cyclone Diamond Blades	38
BOSS Fusion Diamond Blades	39
Diamond Blades Accessories	39

GRINDING AND ABRASIVE WHEELS	4.0
PVA Abrasive Wheels	41
Renovator Series Grinding Wheels	42
Diamond Cup Grinding Wheels	42
Diamond Polishing Pads	43
Wet Polisher	44
Backing Pads	44
Stainless Steel Cut Off Wheels	44

MERCHANDISING

45











330mm SIGMA Tile Cutter

Code: ART7A

Pk Qty: 6

330mm CUTTING CAPACITY





TRADE


- Pull action tile cutter
- Lightweight construction die cast aluminium base
- Fixed metric measuring guide
- Tile protecting breaker arm
- Padded rubber mats



3 ART24B Sigma Handle W/Wheel







TRADE

240mm x 240mm 6mm - 15mm

350mm SIGMA Tile Cutter


Code: ART6


Pk Qty: 1

- Pull action tile cutter
- Adjustable height settings
- Cuts tiles to 15mm thick
- Tungsten carbide cutting blade




sigma





250mm x 250mm



6mm - 15mm

TRADE



		cone	Description
	1	ART14A	Sigma Spare Wheel & Spindle
	1	ART14T	Sigma Spare Wheel Titanium
	2	ART24E	Sigma Lever Handle
١	3	ART39	Rail
	4	ART104033	Teflon Breaker Foot
	5	ART19	Swivelling Support
			A AMAN

TILE CUTTERS

DTA cutting tools are sourced and manufactured to suit tiling professionals and handypersons. DTA Tile Cutters range from the cost effective manual models to the professional, high volume, powered units. DTA has a full range of spare parts. DTA also offers hole cutting tools for tiles of various hardness and thicknesses for hand or powerdrills.

370mm SIGMA Tile Cutter

Code: ART2G


Pk Qty: 2


370mm CUTTING CAPACITY


- Pull action tile cutter
- Lightweight construction die cast aluminium base
- Rotatable 90° swivel guide
- Tile protecting breaker arm
- Padded rubber mats



	Code	Description
1	ART104039	Teflon Breaker Feet
2	ART108616	Clamping Knob Lever
3	ART14A	Sigma Spare Wheel & Spind
3	ART14T	Sigma Spare Wheel Titaniun
4	ART19C	Square
5	ART24F	Lever Grip
6	ART39H	Rail Guide
7	ART90DG	Swivel Measure Bar








750mm SIGMA Tile Cutter

Code: ART4A


Pk Qty: 2


750mm CUTTING CAPACITY

- Pull action tile cutter with sprung metal table
- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 48° allowing cutting lengths to be seen at any angle
- Design allows highly accurate diagonal cutting
- Removable measuring bar for easy transport



750mm





520mm x 520mm

TRADE

TRADE

Description ART104033 Teflon Breaker Feet ART10675 Plastic Base Plugs Sigma Spare Wheel & Spindle Sigma Spare Wheel Titanium ART14T 5 ART20A Adj/Support Screw

sigmai

Sigma

	Code	Description
6	ART24AE	Sigma Handle
7	ART39B	Rail
8	ART90	Swivel Guide
9	ART91	Adhesive Measurement Tape
10	ART92	Clamping Knob
11	ART107954	Left Support

670mm SIGMA Tile Cutter


Code: ART3B4

Pk Qty: 2

670mm CUTTING CAPACITY

- Pull action tile cutter with spring loaded metal table
- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 45° in both directions allowing cutting lengths to be seen at any angle
- Design allows highly accurate diagonal cutting
- Removable measuring bar for easy transport





470mm x 470mm





TRADE

	^\ <u>\</u>	
1		
	*	

	Code	Description
1	ART104033	Teflon Breaker Feet
2	ART107125	Adhesive Measuring Tape
3	ART108621	Clamping Knob Lever
4	ART14A	Sigma Spare Wheel & Spindle
4	ART14T	Sigma Spare Wheel Titanium
5	ART19D	Square

	Code	Description
6	ART20B	Adj/Support Screw
7	ART24E	Sigma Handle
8	ART90LB	Swivel Bar


770mm SIGMA Tile Cutter


Code: ART3C2


Pk Qty: 2


770mm CUTTING CAPACITY

- Pull action tile cutter with spring loaded metal table
- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 45° in both directions allowing cutting lengths to be seen at any angle
- Design allows highly accurate diagonal cutting
- Removable measuring bar for easy transport











	Code	Description
1	ART104033	Teflon Breaker Feet
2	ART107125	Adhesive Measuring Tape
3	ART104064	Left Support (Not Shown)
4	ART108621	Clamping Knob Lever
5	ART14A	Sigma Spare Wheel & Spindle
5	ART14T	Sigma Spare Wheel Titanium
5	ART15A	Spindle Sigma Spare Wheel

	Code	Description	
6	ART19D	Square	
7	ART20B	Adj/Support Screw	
8	ART24AE	Sigma Handle	
9	ART90LC	Swivel Bar	


510mm SIGMA Tile Cutter

Code: ART2A3


Pk Qty: 3


510mm CUTTING CAPACITY

- Pull action tile cutter with patented support
- Measurement square swivels in both directions from (-45° to +45°)
- Central swivel point for accurate cutting measurements
- Second metric scale indicates diagonal lengths at full swivel
- Smooth bearing loaded handle for scoring and snapping
- Cuts different thicknesses without requiring adjustment



510mm






TRADE

TRADE

6mm - 20mm 350mm x 350mm



Sigma

	Code	Description
1	ART104032	Plastic Breaker Feet
2	ART108612	Clamping Knob
3	ART108813	Plane
4	ART14A	Sigma Spare Wheel & Spindle
4	ART14T	Sigma Spare Wheel Titanium
5	ART17D3	Sigma Extension Guide
6	ART19B3	Sigma Square
7	ART24C	Sigma Lever Handle
8	ART39D	Rail Guide
9	ART90D3	Swivel Bar


660mm SIGMA Tile Cutter

Code: ART2B3


Pk Qty: 3

660mm CUTTING CAPACITY


- Pull action tile cutter with patented support
- Measurement square swivels in both directions (-45° to +45°)
- Central swivel point for accurate cutting measurements
- Second metric scale indicates diagonal lengths at full swivel
- Smooth bearing loaded handle for scoring and snapping
- Cuts different thicknesses without requiring adjustment



660mm



460mm x 460mm



6mm - 20mm

TRADE

P

	8	
		(276.
9	5	

6

	Code	Description
1	ART104032	Plastic Breaker Feet
2	ART108612	Clamping Knob
3	ART108813	Plane
4	ART14A	Sigma Spare Wheel & Spindle
4	ART14T	Sigma Spare Wheel Titanium
5	ART17D3	Sigma Extension Guide
6	ART19B3	Sigma Square

sigma

	Code	Description
7	ART24C	Sigma Lever Handle
8	ART39E	Rail Guide
9	ART90D3	Swivel Bar


620mm SIGMA Tile Cutter


Code: ART5B


Pk Qty: 2


620mm CUTTING CAPACITY

- Pull action tile cutter with sprung metal table
- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 48° allowing cutting lengths to be seen at any angle
- Design allows highly accurate diagonal cutting
- Removable measuring bar for easy transport










	Code	Description
	ART104033	Teflon Breaker Feet
)	ART14A	Sigma Spare Wheel & Spindle
	ART14T	Sigma Spare Wheel Titanium
	ART19A	Guide
	ART20	Adj/Support Screw
7	ART24E	Sigma Handle

	Code	Description
6	ART39A	Rail
7	ART90C	Swivel Guide
8	ART91	Adhesive Measurement Tape
9	ART92	Clamping Knob





6mm - 20mm

370mm SIGMA Tile Cutter

Code: ART7F


Pk Qty: 1


370mm CUTTING CAPACITY

- Cutting wheel made from Tungsten steel
- High grade aluminium and steel
- Fast, clean accurate cuts
- Cut most common porcelain and ceramic tiles up to 15mm thick



	Code	Description
1	ART104039	Teflon Breaker Feet
2	ART14A	Sigma Spare Wheel & Spindle
2	ART14T	Sigma Spare Wheel Titanium
3	ART24F	Sigma Lever Handle
4	ART39H	Rail






TRADE

P

260mm x 260mm




450mm SIGMA Tile Cutter


Code: ART3G


Pk Qty: 1


450mm CUTTING CAPACITY

- Pull action heavy duty tile cutter with adjustable height settings
- Includes diagonal arm that swivels from 0° to 45° in both directions
- Replaceable 12mm scoring wheel









TRADE

	Code	Description
1	ART104033	Teflon Breaker Feet
2	ART14A	Sigma Spare Wheel & Spindle
2	ART14T	Sigma Spare Wheel Titanium
2	ART14M	Sigma Mosaic Spare Wheel
3	ART24E	Sigma Lever Handle
4	ART108621	Clamping Knob

ode	Description		Code	Description	
RT104033	Teflon Breaker Feet	5	ART90LF	Swivel Measurement Bar	
RT14A	Sigma Spare Wheel & Spindle	6	ART19D	Square	
RT14T	Sigma Spare Wheel Titanium	7	ART20B	Adj/Support Screw	
RT14M	Sigma Mosaic Spare Wheel				
	A1 1 1 0				

450mm SIGMA Mosaic Tile Cutter

Code: ART3GMOS


Pk Qty: 1


450mm CUTTING CAPACITY


- For cutting glass mosaic tiles
- Includes 2 base plates with pads
- Mosaic cutting wheel














950mm SIGMA Tile Cutter


Code: ART3D2

Pk Qty: 1


950mm CUTTING CAPACITY




- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 45° in both directions allowing cutting lengths to be seen at any angle
- Rapid positioning button allows the main angles normally used immediately available
- Easy to dismantle and transport




950mm



670mm x 670mm



TRADE



6mm - 20mm

TRADE

Description Adj/Support Screw ART24AE Sigma Handle 8 ART90LD Swivel Bar

	UUUG	Description		
1	ART104033	Teflon Breaker Feet		
2	ART107125	Adhesive Measuring Tape		
3	ART104064	Left Support (Not Shown)		
3	ART108621	Clamping Knob Lever		
4	ART14A	Sigma Spare Wheel & Spindle		
4	ART14T	Sigma Spare Wheel Titanium		
5	ART19D	Square		

sigma

sigma

1280mm SIGMA Tile Cutter


Code: ART3E2K

Pk Qty: 1


1280mm CUTTING CAPACITY

 Pull action tile cutter with sprung metal table


- Double tile thickness cutting adjustments
- Patented measuring bar swivels from 0° to 48° allowing cutting lengths to be seen at any angle
- Design allows highly accurate diagonal cutting
- Removable measuring bar for easy transport



1280mm



900mm x 900mm




6mm - 20mm



Square

	Code	Description
6	ART20A	Adj/Support Screw
7	ART24EK	Klick Klock Handle
8	ART39P	Rail Guide
9	ART90LE	Swivel Bar
10	ART1079119	Left Fore Support
11	ART283	Right Fore Support



ART19D


Scan this QR Code to view videos on the Sigma range

SIGMA 1260mm Tile Cutter Maxi-Handle


Code: ART3E3M


Pk Qty: 1

1260mm CUTTING CAPACITY




- Push and/or pull action
- Central swivel point for accurate cutting measurement
- Measuring bar swivels from 0° to 45° in both directions









TRADE

P

TRADE

P

	Code	Description	
1	ART24M15X	Sigma Handle	
2	ART10166	Bearing	
3	ART10652	Spring	
4	ART14MX	Scoring Wheel	
5	ART19D	Square	
6	ART90LE	Swivel Guide	

	Code	Description
7	ART104058	Teflon Breaker Feet
8	ART104065	Right Support
9	ART104064	Left Support
1	D ART106725	Rubber Foot
1	1 ART1079119	Left Fore Support
	2 ART283	Right Fore Support (Not Shown)

SIGMA 1510mm Tile Cutter Maxi-Handle


Code: ART3F3M

Pk Qty: 1


1510mm CUTTING CAPACITY

 Uniquely designed handle allows the change from scoring to breaking position to be achieved by a small vertical movement of the hand grip


- Push and/or pull action
- Central swivel point for accurate cutting measurement
- Measuring bar swivels from 0° to 45° in both directions











TRADE

P

	Code	Description
1	ART24M20X	Sigma Handle
2	ART10166	Bearing
3	ART10652	Spring
4	ART14MX	Scoring Wheel
5	ART19D	Square
6	ART90LE	Swivel Guide

	Code	Description
7	ART104058	Teflon Breaker Feet
8	ART104065	Right Support
9	ART104064	Left Support
10	ART106725	Rubber Foot
11	ART1079119	Left Fore Support
12	ART283	Right Fore Support
13	ART20B	Adj/Support Screw
	8 9 10 11	7 ART104058 8 ART104065 9 ART104064 10 ART106725 11 ART1079119 12 ART283


2050mm Large Format Tile Cutter


Code: ART12D1

Pk Qty: 1


2050mm CUTTING CAPACITY

- Pull action heavy duty tile cutter with adjustable height settings
- Includes diagonal arm that swivels from 0° to 45° in both directions






2050mm



2000mm x 300mm



	Code	Description
1	ART104058	Teflon Breaker Feet
2	ART14X	Sigma Wheel
3	ART1089143	Left Support
4	ART1089144	Right Support
5	ART90E3	Front Measure Stop
6	ART90LG	Swivel Measurement Bar

	Description		Code	Description
)58	Teflon Breaker Feet	7	ART24XL	Sigma Handle
	Sigma Wheel	8	ART19D	Square
143	Left Support			
144	Right Support	1		
	Front Measure Stop	1		
1	Cwinal Managerament Par	1		

2450mm Large Format Tile Cutter


Code: ART12E1

Pk Qty: 1


2450mm CUTTING CAPACITY




- Frame and sliding guide made of light hardened alloy
- The handle runs completely on ball bearings and stainless steel runners
- Equipped with a double measuring guide for parallel cuts
- Pivoting support from +45° to -45°



2450mm





TRADE

3 ART1089143 Left Support ART1089144 Right Support ART90E3 6 ART90LG Swivel Measurement Bar

	3
7 1	2

Description

Sigma Wheel

Front Measure Stop

ART104058 Teflon Breaker Feet

2 ART14X

	Code	Description
7	ART24XL	Sigma Handle
8	ART19D	Square

1510mm SIGMA Kera-Cut Tile Cutter

Code: ART8C-2


Pk Qty: 1

1510mm CUTTING CAPACITY


- Ideal for large format tiles
- Can be fixed to the table with swivel brackets or suction cups
- High strength of incision








1510mm



1060mm x 1060mm



	Code	Description
1	ART14G	12mm Scoring Wheel
î	ART14K	19mm Scoring Wheel
2	ART51C	Suction Cup
3	ART38F2	Carriage
4	ART38F5	Table Attachment

3010mm SIGMA Kera-Cut Tile Cutter

Code: ART8E-2


Pk Qty: 1


3010mm CUTTING CAPACITY

- Ideal for large format tiles
- Can be fixed to the table with swivel brackets or suction cups
- High strength of incision











2120mm x 2120mm



112	Code	Description
1	ART14G	12mm Scoring Wheel
1	ART14K	19mm Scoring Wheel
2	ART51C	Suction Cup
3	ART38F2	Carriage
4	ART38F5	Table Attachment



3710mm SIGMA Kera-Cut Tile Cutter


Code: ART8G-2


Pk Qty: 1


3710mm CUTTING CAPACITY

- Ideal for large format tiles
- Can be fixed to the table with swivel brackets or suction cups
- High strength of incision









TRADE

P

	Code	Description
1	ART14G	12mm Scoring Wheel
1	ART14K	19mm Scoring Wheel
2	ART51C	Suction Cup
3	ART38F2	Carriage
4	ART38F5	Table Attachment

SIGMA Kera-Lift 3400 x 1000mm Large Tile Lifting Frame

Code: ART1B2

3710mm

3400mm CUTTING CAPACITY

- Ideal for lifting, handling and laying of large thin tiles
- Freely modifiable without the use of tools
- The guides slide to allow them to be adaptable to different shape slabs
- Multiple configurations available
- Retractable handles for gripping
- Strong locking suction cups;50kg
- Safe fall protection
- Compact structure for easy transport



	Code	Description
1	ART51D	120mm low suction cup


Sigma Electric Wet Saw


Code: ART10M9

Pk Qty: 1

750mm CUTTING CAPACITY

- Jolli electric wet saw
- 2200 watt
- Weight 60kg





TRADE

TO THE		Code	Description
1	1	ART90H	390mm Swivel measurement bar
ı	1	ART90F	500mm Swivel measurement bar
	1	ART90G	600mm Swivel measurement bar
ı	2	ART80A	Fixed Square
	3	ART85G	Complete Square with Guide & Support
ľ			


SIGMA Kera-Flex Grinder Mounting Frame


TRADE

Code: ART36A4

Pk Qty: 1

1 to 12mm FLAT BEVEL





- Creates a uniform bevel along the entire length of the worked edge
- Suits most grinders



SIGMA Kera-Flex Grinder Mounting Frame

TRADE

Code: ART37A1

Pk Qty: 1

JOLLY ANGLE SLIDING FRAME

- Adjustable cutting position
- Ensures the uniformity of the chamfer along the entire length of the edge
- Works in a single pass on tiles with a thickness of 5<20mm
- Suits most grinders
- Connect to a vacuum and grinder and start cutting



SIGMA Kera-Flex Grinder Mounting Frame

Code: ART38F13

Pk Qty: 1

 For use with Sigma Kera-Cut models; ART8B-2, ART8C-2, ART8D-2, ART8E-2 and ART8G-2



- The use of a common vacuum cleaner with a tube diameter of 32mm allows for the collection of more than the 95% of the dust produced by cutting
- The position of the disc,adjustable in height, allows the verification for the actual direction of cutting, creating square holes and anti-slip incisions
- Suits most grinders





gma Spare	Parts		
IMAGE	CODE	DESCRIPTION	SUITABLE FOR
		Handles	
	ART24AE	SIGMA LEVER HANDLE	ART3C2 ART3D2 ART4A
	ART24AK	KLICK KLOCK SIGMA LEVER HANDLE	ART4A
	ART24B	SIGMA LEVER HANDLE	ART7A
	ART24C	SIGMA LEVER HANDLE	ART2A3 ART2B3
The same of the sa	ART24E	SIGMA LEVER HANDLE	ART3B2 ART5B ART6 ART3G
	ART24EK	KLICK KLOCK SIGMA LEVER HANDLE	ART3E2K
	ART24F	SIGMA LEVER HANDLE	ART2G ART7F
	ART24K	KLICK KLOCK SIGMA LEVER HANDLE	ART5B
	ART24M08	SIGMA MAX HANDLE SUIT 8MM RAIL	ART5B
	ART24M10	SIGMA MAX HANDLE SUIT 10MM RAIL	
	ART24M15X	SIGMA MAX HANDLE SUIT 15MM RAIL	ART4A
			ART3E3M
	ART24M20X	SIGMA MAX HANDLE SUIT 20MM RAIL	ART3F3M
		Measuring Tapes	
· · · · · · · · · · · · · · · · · · ·	ART107125	ADHESIVE MEASURING TAPE	ART3B4 ART3C2 ART3D2
	ART91	ADHESIVE MEASUREMENT TAPE	ART4A ART5B
		Wheels	
	ART14T	12MM WHEEL COMPLETE - TITANIUM	ART2G ART2A3
			ART2B3 ART3B4 ART3C2 ART3D2
			ART3G ART5B ART4A ART7A
			ART6 ART7F
	A D.T.1.48.4	12NANA VAZUEEL CONADUETE NAOCAIC	ART3B4 ART3G
	ART14M	12MM WHEEL COMPLETE - MOSAIC	ART4A ART5B
			ART3GMOS
	ART14A	12MM WHEEL COMPLETE - STANDARD ISSUE - TUNGSTEN	ART2G ART2A3
31/1/2			ART2B3 ART3B4 ART3C2 ART3D2
			ART3G ART4A
			ART4A ART5B
			ART6 ART7A ART7F
	A DT 1 4 N 4 V	40141411551 001451555 511110051111	
	ART14MX	19MM WHEEL COMPLETE - TUNGSTUN SUITS MAX SERIES HANDLES ONLY	ART3E3M ART3F3M
	ART14CT	16MM WHEEL COMPLETE - TITANIUM	ART3E2K
	ART14C	16MM WHEEL COMPLETE - TUNGSTEN	ART3E2K
	ART14G	12MM TUNGSTEN WHEEL	ART8C2 ART8E2 ART8G2
	ART14K	19MM TUNGSTEN WHEEL	ART8C2 ART8E2 ART8G2
		Clamping Knobs	
	ART108612	CLAMPING KNOB	ART2A3 ART2B3
	ART108616	CLAMPING KNOB LEVER	ART2G
	ART108621	CLAMPING KNOB LEVER	ART3B4 ART3C2
	AITIOOOZI	CECIVII IIVO KIVOD EL VEIX	ART3D2 ART3G ART3E2K
	ART92	CLAMPING KNOB	ART4A ART4A ART5B

Sigma Spare	Parts		
IMAGE	CODE	DESCRIPTION	SUITABLE FOR
		Rails	
	ART39A	RAIL	ART5B
	ART39B	RAIL	ART4A
	ART39D	RAIL GUIDE	ART2A3
	ART39E	RAIL GUIDE	ART2B3
	ART39	RAIL	ART6
	ART39H	RAIL	ART7F
		Supports	
	ART104064	COMPLETE LEFT SUPPORT	ART3C2 ART3D2 ART3E2K ART3E3M ART3F3M
	ART104065	COMPLETE RIGHT SUPPORT	ART3E3M ART3E2K ART3F3M
	ART107954	COMPLETE LEFT SUPPORT	ART4A
	ART283	RIGHT FORE SUPPORT	ART3E3M ART3E2K ART3F3M
	ART1079119	LEFT FORE SUPPORT	ART3E3M ART3E2K ART3F3M
	ART1089143	LEFT SUPPORT	ART12D1 ART12E1
	ART1089144	RIGHT SUPPORT	ART12D1 ART12E1
		Measurement Bars	
	ART90	SWIVEL MEASUREMENT BAR	ART4A
	ART90C	SWIVEL MEASUREMENT BAR	ART5B
	ART90D3	SWIVEL MEASUREMENT BAR	ART2A3 ART2B3
	ART90DG	SWIVEL MEASUREMENT BAR	ART2G
	ART90LB	SWIVEL MEASUREMENT BAR	ART3B4
WINDS WINDS	ART90LC	SWIVEL MEASUREMENT BAR	ART3C2
The state of the s	ART90LD	SWIVEL MEASUREMENT BAR	ART3D2
	ART90LE	SWIVEL MEASUREMENT BAR	ART3E3M ART3E2K ART3F3M
	ART90LF	SWIVEL MEASUREMENT BAR	ART3G
	ART90LG	SWIVEL MEASUREMENT BAR	ART12D1 ART12E1
		Squares	
	ART19A	SQUARE	ART4A ART5B
	ART19B3	SQUARE	ART2A3 ART2B3
	ART19C	SQUARE	ART2G
	ART19D	SQUARE	ART3B4 ART3C2
			ART3D2 ART3E2K ART3E3M ART3F3M
			ART3E3IVI ART3F3IVI
		Extension Guides	
	ART17D3	SIGMA EXTENSION GUIDE	ART2A3 ART2B3
		Support Screws	
	ART20	ADJ/SUPPORT SCREW	ART5B
	ART20A	ADJ/SUPORT SCREW	ART4A ART3E2K
	ART20B	ADJ/SUPORT SCREW	ART3B4 ART3C2 ART3D2 ART3F3M ART3G




650mm ISHII Pro Series Tile Cutter


Code: **JKH-650**


Pk Qty: 2

650mm CUTTING CAPACITY

- New and improved patented breaking mechanism
- Titanium scoring wheel for a precise cut and higher resistance to dulling
- 6 piece bearing loaded handle
- Independent non—slip spring loaded cutting beds designed for larger tiles
- Die cast aluminium base
- Non-slip rubber cutting bed
- Adjustable 45° angle guide









6mm - 20mm

TRADE

TRADE



	Code	Description
1	JKG30	Guide
2	JKH-650 RAIL	Rail
3	АКНВА	Breaker Foot
4	ITW22	Spare Wheel
5	КНВВ	Bearing Block


870mm ISHII Pro Series Tile Cutter


Code: AKH-870


Pk Qty: 2

870mm CUTTING CAPACITY

- New and improved patented breaking mechanism
- Titanium scoring wheel for a precise cut and higher resistance to dulling
- Independent non—slip spring loaded cutting beds designed for larger tiles
- 6 piece bearing loaded handle
- Aluminium extruded base construction
- Moveable support table adds maximum cutting versatility
- Adjustable 45° angle guide








6mm - 20mm

	Code	Description
1	кнвв	Bearing Block
2	AKHG	Guide
3	AKH-870R	Rail
4	AKH-870M	Mat
5	АКНВА	Breaker Foot
6	ITW22	Spare Wheel




1040mm ISHII Pro Series Tile Cutter

Code: AKH-1040


Pk Qty: 2

1040mm CUTTING CAPCITY


- New and improved patented breaking mechanism
- Titanium scoring wheel for a precise cut and higher resistance to dulling
- Independent non—slip spring loaded cutting beds designed for larger tiles
- 6 piece bearing loaded handle
- Aluminium extruded base construction
- Moveable support table adds maximum cutting versatility
- Adjustable 45° angle guide




1040mm



700mm x 700mm



TRADE



TRADE

Description AKH-1040R Bearing Block Spare Wheel AKHBA Breaker Foot 6 AKH-1040M


1240mm ISHII Pro Series Tile Cutter

Code: AKH-1240


Pk Qty: 2

1240mm CUTTING CAPACITY


- New and improved patented breaking mechanism
- Titanium scoring wheel for a precise cut and higher resistance to dulling
- Independent non—slip spring loaded cutting beds designed for larger tiles
- 6 piece bearing loaded handle
- Aluminium extruded base construction
- Moveable support table adds maximum cutting versatility
- Adjustable 45° angle guide




1240mm



800mm x 800mm









6 AKH-M

Scan this QR code to view videos on the Ishii Pro Series


300mm Handyman Tile Cutter

Code: DTA-310


Pk Qty: 8


300mm CUTTING CAPACITY


- Push action wall tile cutter
- Lightweight construction
- Steel base
- Polished dual rails











DIY

DIY

	Code	Description
4	DTA-310SW	Replacement Wheel

400mm Handyman Tile Cutter


Code: DTA-400

Pk Qty: 6


400mm CUTTING CAPACITY


- Push action wall and floor tile cutter
- Lightweight construction
- Steel base
- Polished dual rails






400mm







	Code	Description	
1	CC-500SW	Replacement Wheel	

600mm DTA Tile Cutter

Code: **DTA-600**

Pk Qty: 4


600mm CUTTING CAPACITY


- Solid 20mm chrome dual rail
- Ball bearing sliding handle
- Tungsten carbide cutting wheel
- Heavy duty construction


600mm



TRADE







Description Spare Wheel DTA-600SW DTA-600G DTA-600SH Handle

1000mm Professional Tile Cutter


Code: PTC-1000

Pk Qty: 1


1000mm CUTTING CAPACITY




- 6 piece bearing loaded handle
- Non-slip rubber cutting bed
- Aluminium extruded base construction
- Moveable support tables add maximum cutting versatility
- Adjustable 45° angle guide



1000mm





6mm - 16mm

DIY

TRADE

Description 1 ITW22 Replacement Wheel


610mm Boss Manual Tile Cutter


Code: BTC610


Pk Qty: 1

610mm CUTTING CAPACITY

- Die cast aluminium base
- 14mm max cutting depth
- Tungsten carbide wheel
- Suitable for ceramic porcelain wall and floor tiles







DIY



750mm Boss Manual Tile Cutter


430mm x 430mm

Code: BTC750


Pk Qty: 1

750mm CUTTING CAPACITY


- Die cast aluminium base
- 14mm max cutting depth
- Tungsten carbide wheel
- Suitable for ceramic porcelain wall and floor tiles



750mm



500mm x 500mm





Code	Description	
BTC750SW	Spare Wheel	



Renovator Series 500mm Electric Tile Cutter


DIY


Code: REN500

Pk Qty: 1

500mm CUTTING CAPACITY


- 400watt direct drive motor
- 180mm ceramic blade
- 45° mitre cuts
- Includes rip guide
- Water pump
- Pull action
- 6 Month Warranty











Boss Premium 1000 Electric Wet Saw


Code: **BOSS1000**

Pk Qty: 1


TRADE

1000mm CUTTING CAPACITY

- 2200watt motor
- Folding legs
- 45° mitre cuts
- Plunge cut
- Rubber deck
- 300mm porcelain blade
- Water pump
- 2 side tables




1000mm



700mm x 700mm





TRADE

	Code	Description
1	BOSS1000RAIL	Replacement rail
2	B-LEG	Support legs, Not including wheel
3	BOSS BEARINGS	Replacement bearings
4	BOSS MOTOR	Replacement motor
5	BOSS SWITCH	Replacement switch
6	BOSSLEGSW	Support legs, including wheel



Boss Premium 1400 Electric Wet Saw

Code: **BOSS1400**


Pk Qty: 1

1400mm CUTTING CAPACITY


- 2200watt motor
- Folding legs
- 45° mitre cuts
- Plunge cut


Rubber deck


- 300mm porcelain blade
- Water pump
- 2 side tables



1400mm










Centaur Electric Tile Cutter 600mm


Code: CEN600


Pk Qty: 1

600mm CUTTING CAPACITY

- 800watt direct drive motor
- 200mm porcelain blade
- 45° mitre cuts
- Pivoting guides for easy alignment
- Includes:
- Rip guide
- Water pump
- Folding legs
- 6 Month Warranty







DIY

P

TRADE

DIY

TRADE

400mm x 400mm

ption		
Blade		

1	RA200T	Ceramic Blade	
2	RAB200P	Porcelain Blade	
3	CEN600 DECK	Deck	
4	CEN600 MOTOR	600watt Motor	
5	CEN600 RAIL	Rail	
6	CEN600 SWITCH	Switch	1
7	CENPVTGD	Pivot Guides Set	




Centaur Electric Tile Cutter 750mm

Code: CEN750S2


Pk Qty: 1

750mm CUTTING CAPACITY

- 1500watt direct drive motor
- 250mm porcelain blade
- 45° mitre cuts
- Plunge cut
- Pivoting guides for easy alignment
- Includes:
- Rip guide
- Water pump
- Folding legs with wheels
- 6 Month Warranty
- 1 support table



750mm





520mm x 520mm

	Code	Description
1	RA250	Ceramic Blade
2	RAB250P	Porcelain Blade
3	CEN 500W MOTOR	Motor
4	CEN750S2 RAIL	Rail
5	CENPVTGD	Pivot Guides



Scan this to view our video on the Centaur S2 Series


Centaur Electric Tile Cutter 1000mm


Code: CEN1000S2

Pk Qty: 1

1000mm CUTTING CAPACITY

- 1800watt direct drive motor
- 250mm porcelain blade
- 45° mitre cuts
- Plunge cut
- Pivoting guides for easy alignment
- Includes:
- Rip guide
- Water pump
- Folding legs with wheels
- 6 Month Warranty
- 1 support table





700mm x 700mm

DIY

TRADE

DIY

P

	Code	Description
	RA250	Ceramic Blade
	RAB250P	Porcelain Blade
)	CEN1800W MOTOR	Motor
	CEN1000S2 RAIL	Rail
5	CENPVTGD	Pivot Guide



Scan this to view our video on the Centaur S2 Series


Centaur Electric Tile Cutter 1250mm

Code: CEN1250S2

Pk Qty: 1

1250mm CUTTING CAPACITY

- 1800watt direct drive motor
- 250mm porcelain blade
- 45° mitre cuts
- Plunge cut
- Pivoting guides for easy alignment
- Includes:
- Rip guide
- Water pump
- Folding legs with wheels
- 6 Month Warranty
- 2 supports table




RA250

RAB250P

CENPVTGD

CEN1250S2 RAIL



880mm x 880mm





Scan this to view our video on the Centaur S2 Series

DTA TILE CUTTERS AND ACCESSORIES THE CHOICE OF PROFESSIONALS 23

950mm Versa Tile Cutting Table

TRADE

Code: TTBL1000


Pk Qty: 1

950mm CUTTING CAPCITY


- Rail and angle grinder system for straight and 45° mitre cut
- Angle grinder bracket suitable for DTA / Makita / Bosch 105mm angle grinders
- Side extentions for large format tile
- Hole in table deck to allow for hole drilling
- Rail is removable for use with manual tile cutter
- Includes:


105mm angle grinder 720Watt

- 2 x wheels
- 2 x tile clamps
- Hole cutter guide
- Folding legs
- 105mm blade













Mini PVC Suction Cup and Guide

Code: DTAMSCG

Pk Qty: 6



- Suitable for 4mm, 6mm, 8mm, 10mm and 12mm drill bits
- Pressurised water bottle can be attached to add water (DTAWB)



PVC Suction Cup and Guide with Water Supply

Code: DTASCGW

Pk Qty: 12



- Ideal for use when cutting holes with diamond drill bits
- Can be used vertically
- Easy to use and portable
- Guide suitable for 5 - 110mm holes



Water Suction Ring Set

Code: SRS

Pk Qty: 1



- Water containment for wet drill
- Push suction down on a flat smooth horizontal surface and fill with water



Hole Cutter with Level Guide

Code: DTAUSCG

Pk Qty: 12



DIY

TRADE

QUALITY TOOLS

- Medium sized suction cup for easier use on smaller tiles
- Suitable for 5 110 mm drill bits
- Pressurised water bottle can be attached to add water (DTAWB)



Triangular Hole Cutter

Code: THC

Pk Qty: 12

2mm-75mm ADJUSTABLE CUTTER

- Triangular design
- Suited to cutting ceramic wall tiles



Adjustable Hole Cutter

Code: **09-295**

Pk Qty: 24



- Ideal for ceramic wall tiles

Tungsten carbide tips

Attaches to a hand or slow speed drill

28mm-93mm ADJUSTABLE CUTTER





24 DTA TILE CUTTERS AND ACCESSORIES THE CHOICE OF PROFESSIONALS

DTA TILE CUTTERS AND ACCESSORIES THE CHOICE OF PROFESSIONALS 25

Diamond Milling Bit

Code: DMB25

Pk Qty: 1

- Brazed Diamond 60 Grit
- Designed to: Enlarge holes, Tailor special shapes
- Ideal for: Plumbing fittings, Electrical outlets
- Suitable for: Porcelain, Stone, Ceramic, Concrete, Terracotta
- For use with an M14 angle grinder
- Use with the DTA Cyclone Suction Guide Dust Extractor for dust free drilling



Tornado	Dry Cut Drill Bits

- M14 thread
- 6000 11000RPM
- Suitable for the dry drilling of porcelain, marble, granite, ceramic, limestone, slate, terracotta, fiberglass, travertine and masonry







TRADE

	8mm	TBDD08	12
	10mm	TBDD10	12
	12mm	TBDD12	12
	25mm	TBDD25	10
	35mm	TBDD35	10
	38mm	TBDD38	10
	50mm	TBDD50	10
	55mm	TBDD55	10
■ Ç:4	65mm	TBDD65	10
	88mm	TBDD88	10
ŧ	110mm	TBDD110	10

Code

TBDD06

Size

6mm

Pk Qty

Tornado Dry Cut Drill Bits

- Hexagonal shaft
- 2000-3000 RPM
- Suitable for the dry drilling of porcelain, marble, granite, ceramic, limestone, slate, terracotta, fiberglass, travertine and masonry



Size	Code	PK Uty
6mm	DDB06	12
8mm	DDB08	12
10mm	DDB10	12
12mm	DDB12	12



Scan this to view our video on the Tornado Series.

Diamond Coated Core Drill Bit

- Use with water
- Suited to drilling porcelain
- Recommended drilling speed 1000RPM
- Ideal for use with suction cap guides



DIY

TRADE

Size	Code	Pk Qty
5mm	DCT05E	10
6mm	DCT06E	10
8mm	DCT08E	10
10mm	DCT10E	10
12mm	DCT12E	10



Diamond Hole Cutting Head

- Ideal to use with suction cap guides with water supply for drilling porcelain, ceramics and stone
- Use with water
- Electro plated diamond coating
- Recommended drilling speed 1000RPM



	Size	Code	Pk Qty
	25mm	DCT25E	10
	35mm	DCT35E	10
	38mm	DCT38E	10
	42mm	DCT42E	10
ſ	45mm	DCT45E	10
	50mm	DCT50E	10
	65mm	DCT65E	10
	88mm	DCT88E	10
	110mm	DCT110E	10

Tile Glass Drill Bit

- Drill, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm and 12mm holes
- Suited to ceramic wall tiles or glass
- Recommended drilling speed 1000RPM

657	
DIY	
TRADE	W

Size	Code	Pk Qty
3mm	0801	10
4mm	0803	10
5mm	0805	10
6mm	0806	10
8mm	0808	10
10mm	0810	10
12mm	0811	10



QUALITY TOOLS

Angle Grinder

Code: CAG720BP

Pk Qty: 1

- 105mm Angle Grinder
- 720Watt

CYCLONE

- 230V/50Hz
- 11,000 RPM
- M10 Thread
- 16mm Flange
- Quick release guard
- 2 x 105mm Cyclone Mesh Blades included



Vacuum Cleaner

Code: WDV

Pk Qty: 1

- 35L Wet/Dry Vacuum and blower
- 1200 Watt
- 3m hose
- 5m power cord
- Auto-ancillary power socket
- HEPA Filter
- Blower attachment
- Drain hole






Code: **DEXSG**

- Dust-free-drilling
- Connects to a vacuum cleaner with a hose outlet of 32mm-37mm
- Suitable for tile, plaster, stone and non porus materials
- Can be uesd with drills to a maximum diameter of 65mm
- Made from Durable Plastic material







The DTA Cyclone Series has been

designed to cover a range of products

from cutting, grinding and dust extraction.

CYCLONE SERIES

Diamond Blade Dust Extractor

Code: DEXBC

Pk Qty: 6

- Removes dust while cutting
- Suits 100mm 125mm blades
- Includes universal adapter to suit most vacuums



125mm Diamond Cup Grinding Dust Extractor

Code: **DEC125**

Pk Qty: 6

- Suits 100mm 125mm grinding cups
- Movable guard for grinding up to walls
- Brush base provides support for a cushion action
- Includes universal adapter to suit most vacuums
- Attachment sleeves suit most grinders



180mm Dust Extraction Shroud

Code: DEC180

Pk Qty: 6

- Ideal for use with grinding discs
- 35mm vacuum outlet
- Removable guard for grinding against walls
- Brush base provides support for a cushion action
- Attachment sleeves suit most grinders








DIY

TRADE



diamond cutting blades that can cut everything from quarry tiles to concrete. Choosing the correct blade for the material is essential, so check our chart to help your selection. DTA BOSS diamond blades render trouble free service, cut after cut.





DTA BOSS Diamond Blade Application Guide

DTA Continuous, Segmented and Turbo rim blades are manufactured using a process known as cold press sintering. The diamonds and bond mixture are pressed onto the steel core of the blade by a pressing machine, before being heated to 900°C in a furnace. The heating process ensures strong bonding of the diamond powder to the steel core and no welding of any kind is used in the process.

DTA BOSS Wet Continuous Diamond Blades

- Cut most materials cleanly and precisely
- Must be used with water

DTA BOSS Dry Continuous Diamond Blades

- Cut most materials cleanly and precisely
- Higher quality diamonds
- Faster heat-conductive bond powder than continuous wet blades
- Use wet or dry

DTA BOSS Segmented Diamond Blades

- Designed for general-purpose cutting
- Cut faster than continuous or turbo blades, but not as cleanly or precisely
- Use wet or dry

DTA BOSS Turbo Diamond Blades

- Designed for general-purpose cutting
- Cut faster than continuous blades and more precise than segmented blades
- Use wet or dry

DTA BOSS Super Turbo Diamond Blades

- Designed for general-purpose cutting
- Waved steel core for more strength and rigidity than turbo blades
- Cut harder materials than turbo blades
- Use wet or dry

DTA BOSS Super Thin Turbo Diamond Blades

- Designed for general-purpose cutting
- Thinner core and diamond rim allows faster, more precise cut than other turbo blades
- Use wet or dry



PLEASE NOTE:

ALWAYS WEAR EYE PROTECTION WHEN CUTTING.
ONLY STATE ELECTRICITY APPROVED MACHINES
SHOULD BE USED FOR WET CUTTING.



		THE REPORT OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO	2000 E
DTA Diamond	Blade Apr	olication	Guide

Application	Wet Continuous	Dry Continuous	Segmented	Turbo	Super Turbo	Super Thin Turbo
Ceramic Tiles						
Porcelain						
Slate						
Marble						
Granite						
Terracotta	0					
Glass						
Fibreglass						0
PVC Pipes						0
Concrete						
Reinforced Concrete						
Fibro Cement						
Clay Bricks						0
Clay Pavers						
Bluestone						



Wet use only



Wet or dry use

RPM Chart

	Bore Size	Maximum RPM	Maximum Cutting Depth
105mm (4")	16mm-20mm-22.2mm	13,650	25mm
115mm (41/2")	16mm-20mm-22.2mm	13,300	32mm
125mm (5")	16mm-20mm-22.2mm	12,000	38mm
180mm (7")	20mm - 22.2mm	8,700	56mm
200mm (8")	20mm - 22.2mm - 25.4mm	7,500	70mm
230mm (9")	22.2mm - 25.4mm	6,500	87mm
250mm (10")	22.2mm - 25.4mm	6,100	87mm
300mm (12")	22.2mm - 25.4mm	5,100	100mm
350mm (14")	22.2mm - 25.4mm	4,300	125mm




U

U

- **BOSS Wet Continuous Blades**
- Cuts cleanly and precisely
- Wet use only

This blade requires water as a coolant



Blade Diameter	Code	Bore Size	Pk Qty
180mm (7")	RA180T	22.2mm - 25.4mm	5
200mm (8")	RA200T	16mm-25.4mm	3



Application	Wet Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	
Fibreglass	
PVC Pipes	X
Concrete	X
Reinforced Concrete	X
Fibro Cement	X
Clay Bricks	×
Clay Pavers	X
Bluestone	X


BOSS Wet/Dry Continous Blade

- Cuts cleanly and precisely
- Wet or dry use

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	RAD110	16mm - 20mm	10
115mm (4 1/2")	RAD115	16mm - 20mm - 22.2mm	10
125mm (5")	RAD125	16mm - 20mm - 22.2mm	10



Application	Dry Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	×
Fibreglass	
PVC Pipes	X
Concrete	X
Reinforced Concrete	X
Fibro Cement	
Clay Bricks	X
Clay Pavers	X
Bluestone	X

BOSS Professional Porcelain Continuous Blades

 Wet cutting blades with a high concentration of fine diamond for smooth, chip free cutting of porcelain and vitrified tiles.
 They also cut some granite and marble and other hard non-abrasive materials



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	BP100	20mm - 22.2mm	10
180mm (7")	RAB180P	20mm - 22.2mm	5
200mm(8")	RAB200P	16mm - 22.2mm - 25.4mm	3
250mm(10")	RAB250P	16mm - 22.2mm - 25.4mm	3
300mm(12")	RAB300P	16mm - 22.2mm - 25.4mm	3
350mm(14")	RAB350P	16mm - 22.2mm - 25.4mm	3

This blade requires water as a coolant

Wet use only



Application	Porcelain Continuous
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	X
Fibreglass	
PVC Pipes	X
Concrete	×
Reinforced Concrete	×
Fibro Cement	
Clay Bricks	×
Clay Pavers	X
Bluestone	X

BOSS Professional Wet/Dry Segmented Blades

 For general purpose cutting of all medium to hard masonry, stone or concrete construction materials at very good speed, longer life but with a small amount of chipping. This blade is also suited for concrete lined cast iron pipes and granite

Recommend wet cutting, but can be used dry

This blade requires air as a dry coolant or water as a wet coolant



Application	Segmented
Ceramic Tiles	
Critically Hard Tiles	X
Porcelain	X
Slate	
Vlarble	
Granite	
Terracotta	
Glass	X
ibreglass	
PVC Pipes	X
Concrete	
Reinforced Concrete	X
Fibro Cement	
Clay Bricks	
Clay Pavers	X
Bluestone	

Code

SAB350

Bore Size

16mm - 22.2mm - 25.4mm

Pk Qty

Blade Diameter

350mm (14")

TRADE






BOSS Wet/Dry Segmented Blades

- Cuts cleanly and precisely
- Wet or dry use

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	SA105S	16mm - 20mm - 22.2mm	10
115mm (4 1/2")	SA115	16mm - 20mm - 22.2mm	10
125mm (5")	SA125	16mm - 20mm - 22.2mm	10
230mm (9")	SA230	16mm - 22.2mm - 25.4mm	3



Application	Segmented	
Ceramic Tiles		
Critically Hard Tiles	X	
Porcelain	X	
Slate		
Marble		
Granite		
Terracotta		
Glass	X	
Fibreglass		
PVC Pipes	X	
Concrete		
Reinforced Concrete	X	
Fibro Cement		
Clay Bricks		
Clay Pavers	X	
Bluestone		

BOSS Wet/Dry Turbo Blades

- Cuts cleanly and precisely
- Wet or dry use

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	TB100S	16mm - 20mm - 22.2mm	10
115mm (4 1/2")	TB115	16mm - 20mm - 22.2mm	10
125mm (5")	TB125	16mm - 20mm - 22.2mm	10
230mm (9")	TB230	16mm - 22.2mm - 25.4mm	3



Application	Turbo	
Ceramic Tiles		
Critically Hard Tiles	×	
Porcelain	X	
Slate		
Marble		
Granite		
Terracotta		
Glass	X	
Fibreglass		
PVC Pipes		
Concrete		
Reinforced Concrete	X	
Fibro Cement		
Clay Bricks		
Clay Pavers	X	
Bluestone		

BOSS Wet/Dry Super Turbo Blades

- Cuts cleanly and precisely
- Wet or dry use

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	STB100	16mm - 20mm	10
230mm (9")	STB230	16mm - 22.2mm -25.4mm	3






Application	Super Turbo
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	X
Slate	
Marble	
Granite	
Terracotta	
Glass	X
Fibreglass	
PVC Pipes	
Concrete	
Reinforced Concrete	
Fibro Cement	
Clay Bricks	
Clay Pavers	
Bluestone	

BOSS Super Thin Turbo Blades

- Cuts cleanly and precisely
- Ideal for Porcelain
- Wet or dry use

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	STT100	16mm - 20mm	10




Application	Super Thin Turbo
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	
Fibreglass	
PVC Pipes	
Concrete	
Reinforced Concrete	×
Fibro Cement	
Clay Bricks	
Clay Pavers	
Bluestone	



DTA White Lightning Series

- Cuts cleanly and precisely
- Wet or dry use
- Extra Core Strength

This blade requires air as a dry coolant or water as a wet coolant



Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	TT105	16mm - 20mm - 22.2mm	10
115mm (4.5")	TT115	16mm - 20mm - 22.2mm	10
125mm (5")	TT125	16mm - 20mm - 22.2mm	10
200mm (8")	TT200	16mm - 22.2mm - 25.4mm	5
250mm (10")	TT250	22.2mm - 25.4mm	5



Application	Super Thin Turbo
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	
Fibreglass	
PVC Pipes	
Concrete	
Reinforced Concrete	X
Fibro Cement	
Clay Bricks	
Clay Pavers	
Bluestone	

Cyclone Series Diamond Blade

 Diamond mesh blade designed for precision cutting of porcelain tiles with reduced chipping of tiles



BI	ade Diameter	Code	Bore Size	Pk Qty
1	05mm (4")	CDB105	16mm - 20mm - 22.2mm	10
1	15mm (4 1/2")	CDB115	16mm - 20mm - 22.2mm	10
1	25mm (5")	CDB125	16mm - 20mm - 22.2mm	10




Application	Mesh
Ceramic Tiles	
Critically Hard Tiles	
Porcelain	
Slate	
Marble	
Granite	
Terracotta	
Glass	✓
Fibreglass	
PVC Pipes	
Concrete	
Reinforced Concrete	×
Fibro Cement	
Clay Bricks	
Clay Pavers	
Bluestone	

Scan this to view our video on the Cyclone Diamond Mesh Blades.


BOSS Fusion Diamond Blades

- Multi purpose diamond blades
- Cuts almost anything; masonry, plastic, stainless steel, aluminium, concrete, tile, PVC and more



This blade requires air as a dry coolant or water as a wet coolant





Blade Diameter	Code	Bore Size	Pk Qty
105mm (4")	MPB105	16mm - 20mm - 22.2mm	10
125mm (5")	MPB125	16mm - 20mm - 22.2mm	10
230mm (9")	MPB230	22.2mm - 25.4mm	5
350mm (14")	MPB350	22.2mm - 25.4mm	5



DTA Blade Bushes

- 2 per pack
- Fits to specified bore blades



Size	Code	Bore Size	Pk Qty
20mm -16mm	BUSH20-16	16mm - 20mm	10
20mm -22mm	BUSH20-22	20mm - 22mm	10
22mm -16mm	BUSH22-16	16mm - 22.2mm	10
25mm -16mm	BUSH25-16	16mm - 25.4mm	10
25mm -20mm	BUSH25-20	20mm - 25.4mm	10
25mm -22mm	BUSH25-22	22.2mm - 25.4mm	10

DTA Diamond Blade Sharpening Stones

Code: DBDS

Pk Qty: 10

 Designed to re-expose blade diamonds if they foul or clog up during clay cutting





THE CASE

DTA GRINDING AND ABRASIVE WHEELS

DTA Grinding Cup Wheels have been developed to assist in the preparation of surfaces, before tiling commences. With a range of different qualities and applications there is a wheel to suit any application.

The PVA Abrasive Wheels are designed to smooth those rough edges, giving a professional finish to any tiled area.

PVA Abrasive Wheels

PVA Abrasive Wheels are designed to polish porcelain, stone and concrete edges giving a smooth finish. Suitable for polishing machines and angle grinders.

PVA Abrasive Wheel

36 Grit PVA

PVA Abrasive Wheel

120 Grit PVA

320 Grit PVA

PVA Abrasive Wheel

600 Grit PVA 100mm / 4"



PVA Abrasive Wheel



Code: PVA100036

Code: PVA100036-10

Pk Qty: 10pcs

- Super coarse abrasive
- Silicon carbide abrasive material
- 16mm bore
- 11400RPM



Code: PVA100120

Code: PVA100120-10

Pk Qty: 10pcs

- Coarse abrasive
- Silicon carbide abrasive material
- 16mm bore
- 11400RPM

320 Grit - 100mm

Code: PVA100320

Code: PVA100320-10

Pk Qty: 10pcs

Medium fine abrasive

- Silicon carbide abrasive material
- 16mm bore
- 11400RPM

600 Grit - 100mm

Code: PVA100600

Code: PVA100600-10

Pk Qty: 10pcs

- Extra fine abrasive
- Silicon carbide abrasive material
- 16mm bore
- 11400RPM



60 Grit – 100mm

Code: PVA100060

Code: PVA100060-10

Pk Qty: 10pcs

- Extra coarse abrasive
- Silicon carbide abrasive material
- 16mm bore
- 11400RPM



Code: PVA100220

Code: PVA100220-10

Pk Qty: 10pcs

- Medium abrasive
- Silicon carbide abrasive material
- 16mm bore
- 11400RPM



Code: PVA100400

Code: PVA100400-10


Pk Qty: 10pcs

Fine abrasive

Silicon carbide abrasive material

16mm bore

11400RPM



PVA Abrasive Wheel



40 DTA TILE CUTTERS AND ACCESSORIES THE CHOICE OF PROFESSIONALS



Renovator Series Grinding Wheels

Renovator Series Grinding Wheels are designed for dry grinding and smoothing of concrete. Ideal for surface preparation. Suitable for grinding machines and angle grinders.



Single Row – 100mm

Code: RGD100SC

Pk Qty: 5

Economical option

Concrete surface preparation



Double Row - 100mm

Code: RGD100DC

Pk Qty: 5

Economical option

 Grinding and smoothing small areas



Turbo Row - 100mm

Code: RGD100TC

Pk Qty: 5

 Shaping and smoothing concrete surfaces



Diamond Cup Grinding Wheels

Diamond Cup Grinding Wheels are designed for dry grinding, levelling and shaping of concrete. Ideal for surface preparation. Suitable for grinding machines and angle grinders.

Single Row	Size	Code	Pk Qty
 Coarse and aggressive 	100mm	DGD100SC	5
grinding	125mm	DGD125SC	5
	175mm	DGD175SC	5



RADE

Double Row	Size	Code	Pk Qty
General purpose grinding	100mm	DGD100DC	5
	125mm	DGD125DC	5
	175mm	DGD175DC	5



Turbo Row	Size	Code	Pk Qty
Finishing, shaping	100mm	DGD100TC	5
and smoothing	125mm	DGD125TC	5
	175mm	DGD175TC	5



Premium Dry Diamond Polishing Pads

- 105mm & 125mm dry polishing pads
- Velcro backed polishing discs for polishing granite & marble
- Great for polishing flat surfaces and beveled edges
- Featuring much more flexibility than normal dry pads making them ideal for concave & convex surfaces






Code	Color	Size	Grit	Pk Qty
PPD4-0050	blue	105mm	50	10
PPD4-0100	yellow	105mm	100	10
PPD4-0200	orange	105mm	200	10
PPD4-0400	red	105mm	400	10
PPD4-0800	green	105mm	800	10
PPD4-1500	light blue	105mm	1500	10
PPD4-3000	bronze	105mm	3000	10
PPD4-B	black	105mm	BUFF	10
PPD4-W	white	105mm	BUFF	10
PPD5-0050	blue	125mm	50	10
PPD5-0100	yellow	125mm	100	10
PPD5-0200	orange	125mm	200	10
PPD5-0400	red	125mm	400	10
PPD5-0800	green	125mm	800	10
PPD5-1500	light blue	125mm	1500	10
PPD5-3000	bronze	125mm	3000	10
PPD5-B	black	125mm	BUFF	10
PPD5-W	white	125mm	BUFF	10

QUALITY TOOLS

Engineered Stone Polishing Pads

- 105mm & 125mm dry polishing pads
- The special diamond bond is designed to give longer life and a consistent factory finish
- They work well on all quartz products
- These pads, when used properly, will never burn or bleed into the material
- They should always be run wet to prevent resin from burning
- Recommended use is at 3000 rpm





oodo	00101		- Carre	I I Cety
PPE4-0050	blue	105mm	50	10
PPE4-0100	yellow	105mm	100	10
PPE4-0200	orange	105mm	200	10
PPE4-0400	red	105mm	400	10
PPE4-0800	green	105mm	800	10
PPE4-1500	light green	105mm	1500	10
PPE4-3000	brown	105mm	3000	10
PPE5-0050	blue	125mm	50	10
PPE5-0100	yellow	125mm	100	10
PPE5-0200	orange	125mm	200	10
PPE5-0400	red	125mm	400	10
PPE5-0800	green	125mm	800	10
PPE5-1500	light green	125mm	1500	10
PPE5-3000	brown	125mm	3000	10



Wet Polisher

Code: WP900

- Max Disc Diameter:125mm
- No-load speed: 700-3000rpm
- Rated frequency:50/60hz
- Variable Speed
- Safety cut off switch
- H Shape handle



Rubber Backing Pads	Code	Size	PK Qty
Durable backer pad	RBP04	105mm	1
 For use with polishing pads 	RBP05	125mm	1

- The flexibility allows the user to get in to tight corners with ease
- M14 Thread
- Velcro back
- Available in 100mm and 125mm



Stainless Steel Cut Off Whe	el	Code	Size	Bore Size	Pk Qty
1.0mm thick rim	DIY	SSCW100	105mm	16mm	5
Designed to cut Stainless Steel	TRADE	SSCW115	115mm	22.2mm	5
 Ideal for use on DTA Stainless Steel Trims 		SSCW125	125mm	22.2mm	5









MERCHANDISING

To help you sell DTA, the strongest brand in the tiling tools and accessories market, we have a range of merchandising materials and modular stands. These help increase customer purchases and brand awareness. Call our customer service representatives to help you choose the products that will increase your DTA sales.

Tool Merchandising Stand

DIMENSIONS - 1m(W) x 2m(H)

- Neatly and conveniently displays tools in stores
- Can be individually tailored to suit store requirements
- Illuminated header sign

Product	Code	Pk Qty
ToolStand	DTATD	t
Basket for Tools	DTATDB	1
Shelf for Stand	DTATDS	1
150mm Peg Board Hookwith Flipper Tag	PBH150	1
250mm Peg Board Hookwith Flipper Tag	PBH250	1
Trowel Rack 9 piece	DTATDTR	*f

DISPLAY

DISPLAY

DISPLAY



Trim Merchandising Stand

DIMENSIONS - 1m(W) x 2m(H)

- Neatly and efficiently displays PVC and metal trims in stores
- Can be individually tailored to suit store requirements
- Illuminated header sign

Product	Code	Pk Qty 1	
Trim Stand	DTATD		
HangingHooksfor Trims	DTATDH		
Trim DividerBrackets	DTATDHT	1	



1 metre Tool and Trim Stand

DIMENSIONS - 1m(W) x 1. 2m(H)

- Neatly and conveniently displays tile cutters in stores
- Can be individually tailored to suit store requirements
- Illuminated header sign

Product	Code	Pk Qty
1m Tool and Trim Stand	DTATD1M	T.
HangingHooksforTrims	DTATDH	1
Basket for Tools	DTATDB	1
Trim DividerBrackets	DTATDHT	1
Shelf for 1 m Stand	DTATDS	া
50mm Peg Board Hookwith Flipper Tag	PBH150	1
250mm Peg Board Hookwith Flipper Tag	PBH250	1
Trowel Rack 9 piece	DTATDTR	1





Trims

Commercial Trim Stand

Code: DTATDCS

Pk Qty: 1



DIMENSIONS - 1m(W) x 2.2m(H)

Ideal for bulk storage of trims



Xtra Bond Silicone Display

Code: XBSDS

Pk Qty: 2

- DISPLAY
- 3 columns/tubes wide
- Display cards for colours
- Can be hung on to the DTATD merchandising stands



Hayman Long Drains Stand

Code: DTADMS700

Pk Qty: 1



- Suitable for Hayman Long drains range
- 300mm samples in four designs on stand
- Holds 2 of eash drain size (600mm, 900mm) and 1200mm) in each of the four designs
- Note: Long drains not included with stand



Silicone Stand

Code: DTASDS

Pk Qty: 1



QUALITY TOOLS

- 10 columns/tubes wide
- 12 tubes high
- Colour chart holder



Drill Bit Stand

Code: DTADDS

Pk Qty: 1

Ideal for DCT range and DDB range

- Comes with 10 hooks
- Counter top stand
- Moveable hooks allows for flexibility in range displayed



DISPLAY

Soap Holder Display Board

Code: SHDBSH

Pk Qty: 1



- Neatly and attractively displays soap holders in stores
- Available in Metal and Ceramic Fittings







Trim Display Board

Code: DTATRIMDB

Pk Qty: 1



 Neatly and attractively shows the styles, colours and designs of the DTA range of trims in stores



Floor Trim Display Board

Code: FTDB

Pk Qty: 1



 Neatly and attractively shows the styles, colours and designs of the DTA range of floor trims in stores




DTA Poster Boards

- 90cm x 60cm
- Available in 6 designs



Product	Code	Pk Qty
We Proudly Recommend DTA	DTAPB01	1
Revolutionary Tools Smooth Result	DTAPB02	1
Handy Tools Precision Perfect	DTAPB03	1
Quality Tools Floorless Finish	DTAPB04	1
Lippage Levelling System	DTAPB05	1
Hayman Drains	DTAPB06	1











DTA Fluro Polo Shirts

Code: FLPOLO

Pk Qty: 1

PROMO

PROMO

PROMO

Available in 3 sizes: medium, large and extra large



DTA Bottle Opener

Code: DTABO

Pk Qty: 5

Handy key-ring and bottle opener



DTA Ceramic Mug

Code: DTAMUG

Pk Qty: 5

Elegant black ceramic coffee mug



DTA T-Shirt

Code: DTATSHIRT

Pk Qty: 5

PROMO

PROMO

PROMO

- Fashionable polyester/cotton T-Shirt
- Embroidered with the DTA logo



DTA Stubby Holder

Code: DTASH

Pk Qty: 5

Thick neoprene insulated stubby holder



DTA Cap

Code: DTACAP

Pk Qty: 5

One size fits all

Black cotton cap with decorative peak

Embroidered with the DTA logo





DTA 20L Bucket

Code: DTAB20

Pk Qty: 5




Code: DTANP Pk Qty: 1

Note Pads

All purpose bucket

Ideal for adhesive and grout mixing





PROMO

Multi-Plier Tool

Code: PMP

Barcode: 9314942667568

Pk Qty: 6

- 9 in 1 multi-plier
- Includes:
- Pliers
- Crosspoint and flathead screwdrivers
- Nail file
- Ruler and scale
- Knife and saw blades
- Can & bottle openers



Tool & Socket Set 94pc

Code: PSS94

Barcode: 9314942667544

Pk Qty: 3

- 94 piece tool and socket set
- Includes:
- Standard sockets
- Deep sockets
- Expansion bars
- Universal joint
- Quick ratchet handle
- Spinner handle
- Flexible extension
- Sliding T'bar
- Standard bits
- Bit adaptor, sockets


DIY

TRADE


- and holder
- Spark plug sockets 3 way adaptor
- Hex key wrenches
- Pieces come in multiple sizes





Catalogues















Brochures












IN PREMIER



Diamonds for Men





FUSION

ents almost anything



MULTI PURPOSE

